EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19369	((726/2) or (726/3) or (726/4) or (726/5) or (726/8) or (726/18) or (726/27) or (726/30) or (380/202) or (380/241) or (709/200) or (709/201) or (709/223) or (709/225) or (709/229) or (709/232) or (707/1) or (707/9) or (707/10) or (707/100) or (707/103x) or (707/200) or (705/58)). CCLS.	USPAT; IBM_TDB	OR	OFF	2007/05/17 08:24
L2	69844	(universal$2 global$1 unique$2) near5 (username$1 id identif$4 identit$3 identification$1)	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:38
L3	139995	(memor$3 EEPROM EPROM dram ram nonvolatile non-volatile database$2 storage$2 rom store$1 storing) near9 (external$1 over via communicat$4 outside$1) near9 (network$1 internet$1 channel$1 domain system$1 station$1 computer$1 lan wan)	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:44
L4	122928	(administrat$4 manag$6) near4 (network$1 domain system$1 station$1 computer$1 server$1 node$1 host$3 proxy)	USPAT; IBM_TDB	OR	OFF	2007/05/17 08:31
L5	2855	l1 and l2 and l3 and l4	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:41
L6	75	((second$3 another multiple$1 plural$8 different$1) near3 (organization$1)) near7 l4	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:49
L7	6	l5 and l6	USPAT; IBM_TDB	OR	OFF	2007/05/17 08:34
L8	6795	((713/150) or (713/153) or (713/155) or (713/167) or (713/164) or (713/169) or (713/182) or (705/51) or (705/52) or (705/56) or (705/67) or (705/78) or (705/1) or (705/18) or (705/44) or (455/410) or (455/411) or (455/432.3) or (455/435.2) or (455/463)).CCLS.	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:42
L9	69936	(universal$2 global$1 unique$2 system-wide network-wide (system adj2 wide) (network adj2 wide)) near5 (username$1 id identif$4 identit$3 identification$1)	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:39
L10	13853	l9 and l2 and l3 and l4	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:41

L11	643	((second$3 another multiple$1 plural$8 different$1) near3 (organization$1)) and I10	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:59
L13	43	I8 and I11	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:43
L14	8526	(I1 I8) and I9	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:42
L15	21940	(second$3 another multiple$1 plural$8 different$1) near7 I4	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:12
L16	1906	I14 and I15	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:43
L17	140256	(memor$3 EEPROM EPROM dram ram nonvolatile non-volatile database$2 storage$2 rom store$1 storing) near9 (external$1 over via communicat$4 outside$1) near9 (I4 (network$1 internet$1 channel$1 domain system$1 station$1 computer$1 lan wan))	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:48
L18	1205	I16 and I17	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:48
L19	416	I16 and ((memor$3 EEPROM EPROM dram ram nonvolatile non-volatile database$2 storage$2 rom store$1 storing) near9 (external$1 over via communicat$4 outside$1) near9 I4)	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:48
L20	198	I19 and (organization$1)	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:49
L21	1028	(user$2 client$2 person$2) near6 (request$3 acquir$3 permission$1 permit$4) near8 ((access$3 allow$3 protect$4 secure$4 safe$2) near4 object$4)	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:13
L22	7765	(user$2 client$2 person$2) near5 I9	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:58
L23	10	I20 and I21	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:56
L24	4	I22 and I23	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:54
L25	4013	I17 and I22	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:18
L26	72	I21 and I25	USPAT; IBM_TDB	OR	OFF	2007/05/17 09:59
L27	13	((second$3 another multiple$1 plural$8 different$1) near3 (organization$1)) and I26	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:00

L28	9281	I17 and ((second$3 another multiple$1 plural$8 different$1) near5 I4)	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:13
L29	159	I28 and ((request$3 acquir$3 permission$1 permit$4 access$3 allow$3) near5 ((protect$4 secure$4 safe$2) near4 object$4))	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:15
L30	128	I29 and I9	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:16
L31	9281	I28 and I17	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:16
L32	128	I30 and I17	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:16

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	882	(universal$2 global$1 system-wide network-wide) near2 unique$2 near2 (id identif$4 identification$1)	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:44
L2	28028	(collection$1 stored database$1) near3 object$1	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:34
L3	177481	(access$3 authori$9 authentic$7 verfi$9) near4 (control$1 user$1 client$1 request$3 unit$1)	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:35
L4	1223	(resource$1 near3 (manag$6 administrat$4)) near6 (channel$1 link$3 path$1)	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:46
L5	2902	((memor$3 EEPROM EPROM dram ram nonvolatile non-volatile database$2 storage$2 rom) near4 (external$1 another$1 outside$1 different$2 second$3)) with ((administrat$4 manag$7) near4 (domain$1 system$1 network$1 organization$1))	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:43
L6	21	l1 and l5	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:47
L8	9	l2 and l3 and l4 and l5	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:46
L9	66143	(universal$2 global$1 system-wide network-wide unique$2) near4 (id identif$4 identification$1)	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:49
L14	776	l5 and ((universal$2 global$1 system-wide network-wide unique$2) near4 (username$1 id identif$4 identification$1))	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:46
L15	194	(resource$1 near3 (manag$6 administrat$4)) and l14	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:51
L16	117	l2 and l3 and l15	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:52
L17	5	l1 and l16	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:51
L18	6220	(universal$2 global$1 system-wide network-wide unique$2) near4 (id identif$4 identification$1) near3 (user$1 client$1 requestor$1 requester$1 person$2)	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:50
L19	98	l18 and l5	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:51
L20	36	(resource$1 near3 (manag$6 administrat$4)) and l19	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:51

L21	33	I2 and I20	USPAT; IBM_TDB	OR	OFF	2007/05/17 10:52